



# City of Nampa

STORMWATER PROGRAM – EROSION CONTROL

OFFICE (208) 468-4442

WASTE WATER TP 340 W RAILROAD ST

NAMPA, IDAHO 83687

FAX (208) 467-9194

## Attention: Commercial Developers

The City of Nampa has established an Erosion and Sediment Control Program to comply with State and Federal storm water requirements. It is the intent of this program to reduce or eliminate the potential for storm water pollution during the construction process. Please observe the following Best Management Practices (BMP's) during the **entire** construction process:

- To prevent leaks of petroleum products into waterways, no defective equipment shall be operated in or adjacent to areas capable of contributing surface flow to the waterways.
- Precautions shall be taken to prevent spillage of any petroleum product, chemicals or other deleterious material in or near the waterways, and no equipment shall be fueled or serviced in adjacent areas capable of contributing surface flow to the waterways.
- All disturbed areas created by the construction activity shall be protected with temporary erosion control during construction activities. These areas shall be reclaimed with appropriate erosion control measures and revegetated to provide long-term erosion control.
- Clearing of vegetation will be limited to that which is absolutely necessary for construction of the project.
- Keep all trash on site in a designated trash bin. Maintain trash bins on a regular or as needed basis. Lumber may be neatly stacked temporarily on site and not in the Right-of-Way.
- Protect all storm drain inlets in the vicinity of the project site. This may include inlets across the street or 'downstream' from the construction activity. All inlet protection must be properly maintained and inspected on a **regular** basis to be effective.
- If applicable, install perimeter controls to prevent sediment from exiting the boundaries of the project site.
- Absolutely **No** track out of mud or dirt onto the public right of way is allowed. If sediment is tracked onto the road or sidewalk it is to be cleaned up immediately. Clean up of sediment track out is to be swept and not washed away with water. Exclusive use of an **effective** stabilized construction entrance will help prevent track out of sediment onto the public Right-of-Way.
- Placement of sediment, road mix, landscaping material or any construction debris on the public Right-of-Way is strictly prohibited.
- Control excessive dust and protect all unstabilized exposed soil from wind and storm water runoff.
- Post an **approved** City of Nampa Erosion and Sediment Control Permit with current information on the Responsible Person at or near the construction entrance. A copy of the **active** NOI from EPA must also be posted.
- Utilize Concrete Washout areas for the proper disposal of excessive concrete product and equipment rinse water. Dispose of paint, chemicals and hazardous materials in the approved method.
- Maintain an updated SWPPP on site with current inspection records.

- A certified Responsible Person must be on site during all grading and construction activities.

Strict adherence to these BMP's will help ensure an effective Erosion and Sediment Control Program for both the Commercial Developers and the City of Nampa. Deviations from these BMP's may result in various methods of enforcement. If you have any questions or concerns please feel free to contact Tim Eylar at 468-4442. Thank you for your continued cooperation.

Tanya Welborn  
Stormwater Technician  
Stormwater Division  
Office: 468-4442